CUMULATIVE INDEX 1995

Volume 22

January	POSTONCOLOGIC RECONSTRUCTION, pages 1–202
April	SURGERY OF THE MIDFACE AND NASOLABIAL FOLD, pages 203–360
July	SURGERY OF THE CRANIAL BASE, pages 361–584
October	MINIMALLY INVASIVE TECHNIQUES IN AESTHETIC AND RECONSTRUCTIVE SURGERY, pages 585–806

Note: Page numbers of issue and article titles are in **boldface** type.

Abdomen, endoplastic plastic surgery of, 588
Abdominal flaps, for vaginal reconstruction, 134, 136
  gracilis and rectus, compared, 134
Abdominal wall, components of, characteristics of, 709
  hernia of, repair of, and diastasis recti repair, endoscopic abdominoplasty and, **707–722**
Abdominoplasty, endoscopic, 723–735
    abdominal plication in, 727–729
    and diastasis recti and abdominal wall hernia repair, **707–722**
      instrumentation for, 710
      patient selection for, 708–710
      results of, 717, 721–722
      setup for, 710–711
      technique of, 711–716, 717
    anesthesia for, 725
    case histories of, 730, 731, 732–733, 734–735, 736–737
    complications of, 730, 794
    dissection for, 727, 728
    incisions for, 725–727
    indications for, 724–725
    instrumentation for, 723, 724
    lipoplasty in, 729
    mastopexy, and breast reduction, **723–745**
    material and methods for, 725
    optical cavity for, 727–729
    postoperative care in, 729–730
    preoperative planning for, 725, 726
    stapling technique for, 707, 708
    surgical technique for, 725–730
Acoustic schwannomas, 391–393
Adenoid cystic carcinoma, 412–413, 471
  in Region III, reconstruction of, 75, 76
Adriamycin, wound healing and, 35
Aesthetic surgery, and reconstructive surgery, minimally invasive techniques in, **585–796**
  interest in, over last 20 years, 207
Aging, anatomic changes occurring with, 299–301
  effect of, on face, 204
Aneurysms, endovascular embolization of, 422–423
  of cranial base, 444–445
    supraorbital rim approach to, 454–459
Angiofibroma(s), juvenile, 407–408
    nasopharyngeal, endovascular therapy of, 432
  of cranial base, 393–394, 396–397
Angiography, of cranial base, 374
Arcus marginalis release, with browlift, and composite facelift, 316
Arteriovenous fistulae, acquired and congenital, of cranial base, endovascular therapy of, 439–441
  dural, of cranial base, endovascular therapy of, 434–439
  external carotid branch, 440–441
  of scalp, 441
  upper vertebral, 440
Arteriovenous malformations, 411
  congenital, 441–444
  of scalp, 442–444
  periauricular, 442–444
  periorbital, 442, 443
Artery(ies), brachiocephalic, major, balloon test occlusion of, 418
    permanent balloon occlusion of, 418–421
Astrocytoma, resection of, recurrence following, scalp flap and skin graft following, 58
    skin grafting following, 55

Balloon occlusion, permanent, of major brachiocephalic arteries, 418–421
Balloon test occlusion, of major brachiocephalic arteries, 418
Basal cell cancer, margins and recurrence of, determinants of, 43–46
  metastases from, 46, 47
Basal cell carcinoma, of eyelid, 474
Basal cell nevus syndrome, treatment of, factors influencing, 40
"Blame wheel," 1, 2
Blepharoplasty, deep periorbital appearance following, 320
Bone graft(s), nonvascularized, in mandibular reconstruction, 63
Bone(s), mandibular, restoration of, 62

Bone(s) *(Continued)*
reconstruction of, in skull, 53–54
Brachytherapy, following resection of intracranial neoplasms, results of, 54
intraoperative, in soft-tissue sarcomas, 24
wound healing in, 34
Breast, aesthetic surgery of, endoscopic, instrumentation of, 684
techniques for, **683–695**
conservation of, breast reconstruction with, 149–150, 151
contralateral, in autogenous reconstruction of cancerous breast, 155
surgery on, reconstructed breast and, 149
endoscopic biopsy of, 689, 690
endoscopic plastic surgery of, 587–588
instruments for, 598, 599
ptosis of, endoscopy in correction of, 588
reconstructed, follow-up of, 150
reconstruction of, autogenous, 154
management of contralateral breast in, 155
patient selection for, 154–155
TRAM flaps and latissimus dorsi flaps in, **153–166**
clinical course of patients undergoing, 154
conceptual considerations in, **141–152**
endoscopic techniques in, 694
immediate, 153–154
complications associated with, 154, 155
influence of radiation therapy on, 147, 149, 150
influence of stage on, 145–147
nipple-areola reconstruction and, 164
plastic surgeon in, 141–144
preparation for surgery in, 155–156
surgery on contralateral breast and, 149
surgical technique in, guidelines to, 156–164
timing of, 144–145, 146
timing of secondary procedures in, 147–149, 150
treatment of local cancer recurrence following, 150–151
with breast conservation, 149–150, 151
reduction of, and breast lift, complications of, 794
Breast augmentation, bilateral endoscopic transaxillary, 793–794
Breast implants, endoscopic, breast tissue evaluation, and mammoscopy, **697–706**
endoscopic inspection of, 694
Breast lift, and breast reduction, complications of, 794
Breast reduction, and endoscopic abdominoplasty, and mastopexy, **723–745**
mastopexy and. See *Mastopexy, and breast reduction.*
Browlift, and facelift, endoscopic subperiosteal, **639–660**
case reports of, 653–655
classification of, 642
complications of, 655–659
instrumentation for, 639–641
endoscopic, **619–631**
clinical cases of, 625–626
description of procedure for, 620–625
dissections for, 621–624
incisions for, 620–621
materials and methods for, 619–620
miniplates in, 624–625
results of, 626–630
taping of forehead in, 624, 625
with arcus marginalis release, and composite facelift, 316
Buccal cavity, reconstruction of, 100–101, 102
Buccal mucosa, carcinomas of, 93–94
Burn, as complication of endoscopic surgery, 792, 793
Burn scar, skin cancer and, 40–42

Calvarium, full-thickness defects of, reconstruction of, 53–54
Cancer patient, reconstruction in, **1–198**
Cancer(s). See also specific types and sites.
gynecologic, surgery in, vulvar and vaginal reconstruction after, **129–140**
Capsulectomy, endoscopic, 692
Capsulorraphy, endoscopic, 692
Capsulotomy, endoscopic, 692, 694
Carotid cavernous fistulae, endovascular therapy of, 439–440
Carpal tunnel release, endoscopic, **775–780**
indications for, 775–776
postoperative care in, 778
procedure for, 776–778
results of, 778–779
risks and complications of, 779, 795
Cavernous sinus, 369
approach to, 459–460
arteriovenous fistulae of, 437–438
surgical approach to, 578–579
Cephaloceles, of cranial base, 383
Cerebellopontine angle, 370
Cerebrospinal fluid leak, as complication of cranial base surgery, 488
in skull base surgery, 576–577
Cervical defects, reconstruction of, 171
Cheek, compositon of, 221–222
elevation of, extended sub-SMAS dissection and, **325–339**
patient selection for, 325–326
mid. See *Mid cheek.*
Cheek mass, descent of, 217
superior point and, 222–223
resilience of, in young subjects, 217
well-defined, support of, 225
Chemoexcision, in nonmelanotic skin cancer, 46
Chemotherapy, adjuvant and neoadjuvant, in cancer of head and neck, 14–16
and radiation therapy, combined, in cancer of head and neck, 16
in soft-tissue sarcomas, 27
wound healing considerations in, **31–37**
and wound healing, 34–36
as singular modality, in cancer of head and neck, 14
in soft-tissue sarcomas, 25–27
in vascular lesions of cranial base, 535
Chest wall, anterior, defects of, analysis of, 187, 188–189
lateral, defects of, analysis of, 187–191, 192–193, 194–195
posterior, defects of, analysis of, 192, 196
reconstruction of, **187–198**
analysis of defects for, 187–195
options for, 195–198
superior, defects of, analysis of, 187, 190–191
Cholesteatoma, 409
Cholesterol granulomas, of cranial base, 401–402
Chondrocranium, development of, 362, 363
ossification of, 362–364
Chondrosarcoma(s), 473
mesenchymal, 472
of cranial base, 390–391, 414–415
Chordoma(s), of cranial base, 398–399, 411–412
Clival lesions, surgical approach to, 579
Computed tomography, of cranial base, 374
Condyle, management of, in mandibular reconstruction, 67

Corrugator muscles, hyperactive, 675
Corticosteroids, wound healing and, 36
Cranial base, acquired and congenital arteriovenous fistulae of, endovascular therapy of, 439–441
anatomy of, 365–371, 532, 563
aneurysms of, 444–445
anterior, and orbit, 365–367
lesions of, treatment of, 498–502
benign neoplasms of, 391–400, 407–412
bone of, 375–382
caudal, anatomy of, 370–371
congenital abnormalities of, 382–387
defects of, local versus free flaps for, 564
reconstruction of, **71–77**
history of, 71–72
development of, 374–375
diagnostic radiology of, **373–405**
dural arteriovenous fistulae of, endovascular therapy of, 434–439
dural closure and, 556–557, 558
embryology and anatomy of, **361–372**
growth of, 364, 365
idiopathic lesions of, 402–404
infections and inflammatory lesions of, 401–402
lesions of, assessment of, 483
complications of, 488
level I, 484, 485–486
level II, 484, 486
level III, 485, 486–488, 489
surgical planning in, 483–484
surgical technique in, 484–488
malignant lesions of, 388–391, 412–415
neurofibromatosis of, **513–530**
classification of, 516, 517–518
clinical features of, 513–514
investigations in, 514, 515
treatment of, 514–525
normal anatomy of, 375–382
oncologic concerns at, 563–564
orbital tumors of, diagnosis of, 465–469
evaluation and treatment of, 470–471
posterior, transfacial approaches to, **491–511**
procedures, ophthalmologic evaluation for, 466–467
reconstruction of, **555–561**
Region I, reconstruction of, 73–74
Region II, reconstruction of, 74
Region III, reconstruction of, 74–76
regions of, and tumor growth patterns, 72–73
soft tissues of, 382
surgery of, **361–580**
cerebrospinal fluid leak in, 576–577
complications of, **573–580**
infection in, 576
neurologic injury in, 574–576
neurosurgical considerations of, **451–460**
vascular injury in, 577
surgical diseases of, endovascular therapy for, **417–450**
transfacial approaches to, 483–490
classification of, 491–498
complications of, 509
patient experience with, 502–503, 504–509
transfrontal approach to, 493, 494
transfrontal nasal approach to, 493–494, 495
transfrontal nasal-orbital approach to, 494–496
transmaxillary approach to, 498, 500
transnasomaxillary approach to, 498, 499
transorbital approaches to, **461–481**
anatomic considerations in, 461–465
transpalatal approach to, 498, 501
tumors and aneurysms of, supraorbital rim approach to, 454–459
tumors metastatic to, 415
tumors of, endovascular therapy of, 426–445
microsurgery for, **563–572**
pathology of, **407–416**
resection of, reconstruction following, 578
surgical approaches in, and complications of, 578–579
vascular lesions of, **531–542**
case histories of, 537–541
chemotherapy in, 535
clinical presentation of, 532–533
diagnosis of, 533–534
interventional radiology in, 534–535
operative approaches to, 535–537
therapy and operative intervention in, 534
Cranial fossa, anterior, surgical approach to, 578
middle, 367–369
arteriovenous fistulae of, 439
enlargement of, in neurofibromatosis of cranial base, 524, 525
foramina of, 367, 368
osteology of, 367–368
posterior, 370
vascular anatomy of, 370
Craniofacial reconstruction, soft tissue reconstructive choices for, **543–554**
Craniopharyngioma, 409
Craniosynostosis, 386
Craniotomy, bifrontal osteoplastic, in olfactory groove meningioma, 451–454, 455
Cribriform plate, preservation of, in cranial base surgery, 496–498
Cyclophosphamide, wound healing and, 36
Cysts, of cranial base, 383

Dead space, extradural, and reconstruction of cranial base, 558
intracranial, and reconstruction of cranial base, 558, 559
Dentition, rehabilitation of, in mandibular reconstruction, 67–69
Dermoids, 412
Diastasis recti repair, and abdominal wall hernia repair, endoscopic abdominoplasty and, **707–722**
DMAS, 345
definition of, 343–344
Doxorubicin hydrochloride, wound healing and, 35
Dural arteriovenous fistulae, of cranial base, endovascular therapy of, 434–439

Ear, recurrent squamous cell carcinoma of, 2, 7
Embolization techniques, direct puncture, 423–425
therapeutic, transarterial and transvenous, 421–422
Endofacelift, no skin excisions, 647–651
no skin incisions, 642, 646–647
Endoforehead, no skin excision, 642–644
Endoscopes, for breast endoscopic surgery, 598, 599
for facial endoscopic surgery, 598
for procedures of trunk, 599–600
history of, 591–592, 593
rigid, for plastic surgical procedures, 592, 593
Endoscopic dissection, instruments for, 597–601
Endoscopy, in plastic surgery, **585–589**
complications of, **791–796**

Endoscopy *(Continued)*
instrumentation and setup for, **591–603**
"learning curve" for, 791
Endovascular and neuroangiographic techniques, adjunctive, 425–426
Endovascular embolization, of aneurysms, 422–423
Endovascular therapy, of cranial base diseases, 426–445
Esthesioneuroblastoma, 414, 474
of cranial base, 390
Extremity(ies), endoscopic plastic surgery of, instruments for, 600
soft-tissue sarcomas of, biopsy in, 125
excision in, 125
historical background of, 123–124
limb-sparing reconstruction in, **123–128**
microvascular reconstruction in, 126–127
staging systems for, 124
surgical management of, 124–125
Eyebrow(s), elevation and depression of, 633–634
normative values for, 608–609
ptosis, analysis of, 612
reference marks for, 607
shape of, ideal, 606
three fashionable shapes for, 607
Eyelid(s), basal cell carcinoma of, 474
problems of, in neurofibromatosis of cranial base, 525, 526–527, 528
Eye(s), make-up, components of, 606–607

Face, aging of, anatomic changes in, 281
correction of, in two steps, 283
procedures to hide, 203, 204
tissue changes in, 204
usual areas of concern in, 314
central third of, subperiosteal approach for correction of, **341–356**
clinical experience and results of, 350–355
evolution of, 346–347
perioperative management in, 355
special surgical considerations for, 349–353
surgical technique in, 347–349
changes in, with aging, 214
dissection of, 234–237
endoscopic plastic surgery of, 587
instruments for, 598
in repose, 220
laugh lines and, 223, 224
ligaments of, 234–237, 238
measurements of, 218
middle of. See *Midface.*
mimetic muscles of, 237–239
rejuvenation of, injury of facial nerve in, 241
smiling, 220
soft tissues of. See *Soft tissue(s), facial.*
youthful, 204
Face grid, for reconstruction planning, 2, 5, 6
Facelift, and browlift. See *Browlift, and facelift.*
composite, and browlift with arcus marginalis release, 316
duration of effectiveness of, 282
endoscopic-assisted, biplanar with skin excision, 651–653
endoscopic-dependent and endoscopic-assisted, 642, 646–647
full, endoscopic, 792–793
in two sequential steps, 283
mid, 285–288
indications for, 288–289
subperiosteal mid, 288
midface multiple vector, 282, 284–285
patient expectations from, 282–283
patient selection for, 282
prior, and extended SMAS dissection, 310
SMAS-platysma, 280–281
subperiosteal lift Type VI, 651–653
sun-damaged skin following, 302
Facial aesthetics, 207, 208
Facial measurements, to assess changes of midface with age, 213–214, 218
Facial nerve, 241–242
frontal branch of, 344
injury of, in facial rejuvenation, 241
marginal mandibular branch of, 248
SMAS dissection and, 331–332
surgical anatomy of, **241–251**
temporal branch of, 242–246
and rami in zygomatic arch region, 245–246, 247
fascial relationships of, 243–244
trajectory of, 244–245
zygomatic and buccal branches of, 246–248
Fascia, undermining and repositioning of, for facelift, 282
Fascial fatty layer of soft tissue, of face, 228
Fasciocutaneous flaps, for coverage of scalp defects, 53
Fat, abdominal, aspiration of, for nasolabial injection, 254
facial, descent of, in aging, 302
injection of, in recalcitrant nasolabial fold, 254–255
repositioning of, or defatting, fat graft, and rhytidectomy, in recalcitrant nasolabial folds, 257–263
Fat graft, defatting or fat repositioning, and rhytidectomy, in recalcitrant nasolabial folds, 257–263
Fat pad, malar, definition of, 342
elevation of, for correction of prominent nasolabial folds, **279–293**
suspension of, application and reproducibility of technique of, 289–293
undermining and repositioning of, 285, 286, 287, 288
Fibroma, ossifying, 411
Fibrous dysplasia, 404, 411
Fibrous histiocytoma, malignant, 472
Fibula, as donor site for mandibular reconstruction, 65, 67
Flap monitoring, in free-tissue transfer, 568–569
Flaps. See also specific flaps.
for coverage of defects of intrathoracic space, 192
free. See *Free flaps.*
Forehead, aesthetics of, 605
biplanar, variable skin excision, 644–646
endoscopic plastic surgery of, 586
endoscopy of, 675–676
"etchings" of, categories of, 614
fashion and, 607
in classical art, 605–606
lift, biplanar endoscopically assisted, **633–638**
dissections for, 635
incisions for, 635
indications for, 634–635
rationale for, 635
technique of, 635–638
endoscopic, **605–618**
advantages of, 673
analysis of, 612–614
basic technique of, 661–664
disadvantages or limitations of, 673
dissections for, 661, 662, 663

evolution and update, **661–673**
extended, 664, 665
fixation in, 664, 669
incisions in, 661, 662
limited, 665–666
muscle modifications, 666–669
neurotomies in, 669
periosteal release in, 666
preperiosteal tissue release in, 669
retro-orbicularis fat pad release in, 666
standard, 664–665
surgical maneuvers in relation with patient selection for, 670, 673
tissue advancement and redraping in, 669
tissue modifications for, 666–672
endoscopic-dependent and endoscopic-assisted, 642–646
patients seeking, 610–611
subperiosteal lift Type II, 642–644
subperiosteal lift Type III, 644–646
subperiosteal lift Type V, 647–651
surgical planning for, 614–617
temporal lift, lateral, 665
lines, wrinkles, and folds of, 614
make-up artists and, 606–607
muscles of, 667, 668–669
reconstruction of, 52, 551
Forehead/browlift, endoscopic, 792, 793
Free flaps, endoscopic technique for harvesting of, **755–773**
clinical experience with, 768–772
complications of, 794–795
for microvascular surgery, 755–757, 758
human cadaver study of, 761–763
instrumentation for, 756–757, 758, 759
preclinical trials with, 757–768
for craniofacial reconstruction, 551, 564
for vulvar reconstruction, 137
microvascular, for trunk defects, 176–180
omental and jejunal, endoscopic harvest of, **747–754**
case histories of, 750, 751, 752, 753
surgical technique for, 748–750
Free-tissue transfer, flap monitoring in, 568–569
for closure of scalp and skull defects, 53
in neurofibromatosis of cranial base, 525, 529
in trunk defects, 184
indications for, 565–567
technical considerations in, 567–570
Frontal sinus, anatomy of, 785
endoscopic surgery of, **785–790**
case histories of, 786–788, 789
patient selection for, 785–786
Frown lines, glabellar, endoscopic management of, **675–681**

Galea fascia, for craniofacial reconstruction, 545–546
Glabellar frown lines, endoscopic management of, **675–681**
dissections for, 676, 677, 678
hemostasis for, 677
incisions for, 676–677
instruments for, 676
material for, 677–679
muscle resection, 677, 678
postoperative care in, 677
results of, 679, 680
surgical technique for, 676–677
Glioblastoma multiforme, subtotal resection of, serratus-anterior muscle flap in, 56–57
Glioma(s), of cranial base, 383
optic nerve, 473
Gluteus maximus muscle flap, in reconstruction of posterior trunk, 170
Gorlin's syndrome, treatment of, factors influencing, 40
Gynecologic cancer, surgery in, vulvar and vaginal reconstruction after, **129–140**
Gynecomastia, for endoscopic mastectomy, 689–692

Hairy nevus, giant, resection of, and reconstruction of posterior chest, 192, 196
Head and neck, cancer of, adjuvant and neoadjuvant chemotherapy in, 14–16
chemotherapy as singular modality in, 14
concomitant chemotherapy and radiotherapy in, 14–16
current considerations in multimodality therapy in, **9–19**
failure of initial treatment in, 11
radiation therapy in, 9–12
therapeutic options in, 10
Hemangiomas, endovascular therapy of, 432–434
Hemangiopericytoma(s), 413–414
endovascular therapy of, 428–431
Hypopharynx, carcinoma of, neoadjuvant chemotherapy in, 14, 15

Iliac crest-internal oblique flap, for craniofacial reconstruction, 565
Ilium, as donor site for mandibular reconstruction, 65, 66
Infection, as complication of cranial base surgery, 488
in skull base surgery, 576
Instrument(s), for developing and maintaining optical cavity, 595–597
for endoscopic abdominoplasty, 710, 723, 724
for endoscopic aesthetic surgery of breast, 684
for endoscopic dissection, 597–601
for endoscopic harvesting of free flaps, 756–757, 758, 759
for endoscopic management of glabellar frown lines, 676
for endoscopic nasal surgery, 781, 782
development of, **781–784**
surgical technique for use of, 781–784
for endoscopic plastic surgery, **591–603**
of breast, 598, 599
of extremities, 600
of face, 598
of trunk, 599–600
for endoscopic subperiosteal browlift and facelift, 639–641
for laparoscopy, 600–601
Intraoral reconstructive techniques, **91–108**
Intrathoracic space, defects of, analysis of, 192–195
Irradiated tissue, of scalp, reconstruction of, 54–59
surgery in, 33–34

Jejunal free flaps, endoscopic harvest of, **747–754**
Jejunal harvest, endoscopic, 768–772
Jowls, descent of, soft tissues of face and, 223, 224

Keratoacanthomas, following renal transplantation, 40, 41

Kidney, transplantation of, keratoacanthomas following, 40, 41

Lacrimal gland, malignant tumors of, 469–472
Laparoscopy, instruments for, 600–601
Larynx, cancer of, radiation therapy in, 10–11
  regional lymph nodes of, cancer staging for, 11
Lateral arm flap, for craniofacial reconstruction, 565
Latissimus dorsi flap(s), and TRAM flaps, in autogenous breast reconstruction, **153–166**
  for breast reconstruction, 156–158
  for reconstruction of anterior chest, 188–189, 197
  in reconstruction of posterior trunk, 169, 177, 184
Latissimus dorsi muscle, endoscopic harvest of, 764–768
Latissimus dorsi musculocutaneous flap, for craniofacial reconstruction, 548, 564–565
Leg ulcer, postphlebitic, malignant degeneration in, 43
Ligament(s), facial, 234–237, 238
  mandibular, retaining of, for midface rejuvenation, 298–299
  masseteric cutaneous, attenuation of support from, 300–301
Limb-sparing reconstruction, in soft-tissue sarcomas of extremities, **123–128**
Lip(s), anatomy of, 109–110
  force of gravity and, 222
  function of, 109
  lower, carcinoma of, defect of 30% to 65% in, 114
    defects of 65% to 80% in, 114–115, 116
    diagnosis of, 110
    management of regional lymph nodes in, 113–114
    mortality figures for, 109
    reconstruction following, 114–120
    total resection in, reconstruction in, 115–120
    treatment of, 110–113
  reconstruction of, **109–121**
Lumbar defects, reconstruction of, 173
Lymph nodes, regional, management of, in carcinoma of lower lip, 113–114
Lymphoma, of orbit, 474–475

Magnetic resonance imaging, of cranial base, 373–374
Malar fat pad. See *Fat pad, malar*.
Malignancy(ies), of midface, reconstruction of defects following resection of, **79–89**
Malignant schwannoma, 414
Mammaplasty, augmentation, endoscopy in, 587–588
  endoscopic augmentation, approaches for, 688
  endoscopic reduction, and mastopexy, 694
  endoscopic transaxillary subpectoral augmentation, 684–688
    complications of, 684–685
    implants for, 686, 687
    operating room setup for, 685, 686
    results of, 688
    technique of, 685–687
  reduction, endoscopy in, 588
Mammoscopy, and endoscopic implant, and breast tissue evaluation, **697–706**
    equipment for, 697–698
    guidelines for, 705
    procedure for, 698–704
    surgical procedure for, 704–705
Mandible, osteoradionecrosis of, following radiotherapy of nasopharynx, 10, 11
  reconstruction of, conceptual considerations in, **61–69**
    for intraoral carcinoma, 101–106
    goals of, 62
    indications for, 61
    intraoperative considerations in, 63
    preoperative considerations in, 62–63
    reconstructive options in, 63–67
    timing of, 61–62
Mandibular ligaments, retaining of, for midface rejuvenation, 298–299
Manipulation, for forehead and facial subperiosteal dissection, 639–641
Masseteric ligaments, cutaneous, attenuation of support from, 300–301
Mastectomy, endoscopic, for gynectomastia, 689–692
    transaxillary, 689–691, 692
  endoscopically-assisted transareolar, 691–692, 693
Mastication, mid cheek as region of, 327
Mastopexy, and breast reduction, and endoscopic abdominoplasty, **723–745**
    breast lifting and fixation in, 739
    case histories of, 740–744
    complications of, 740
    dissection for, 738
    incisions for, 738
    indications for, 735
    materials and methods for, 735
    surgical technique for, 735–740
  and endoscopic reduction mammaplasty, 694
Maxillary sinus, cancers of, classification of, 80, 82
Maxillectomy, reconstruction following, 2–7, 8
Melanoma, in orbit, 474
Meninges, protection of, from nasopharynx, 551
Meningioma(s), endovascular therapy of, 428–431
  of cranial base, 391, 409, 410
  of orbit, 473
  olfactory groove, bifrontal osteoplastic craniotomy in, 451–454, 455
Meningocele, 383, 385, 387
Meningoencephalocele, 383, 386, 387
Meningomyeloceles, closure of, flaps for, 180–181, 182–183
Mesolabial area, definition of, 342
Metastatic tumors, involving orbit, 474–475
Methotrexate, wound healing and, 35
Microvascular surgery, endoscopic technique for harvesting of free flaps for, 755–757, 758
Mid cheek, as region of mastication, 327
  correction of, evolution of SMAS techniques for, 330–331
  significance of, 326–327
  SMAS of, importance of, 328
  soft tissues of, fibrous support system of, 326
Midface, aging of, 281–282
  anatomy of, 79, 81, 82, **227–240**, 279–281
  changes in, with age, **213–226**
  defects of, reconstruction of, after resection of malignancies, **79–89**
  dissection of, 283–285
    intraoperative view of, 281
  lower, aging changes of, 265
  ptosis of, anterior myorrhaphy of platysma and plication of SMAS in, 277
    closure of skin defect and correction of remaining ptotic areas in, 277
    complications of surgery in, 277
    corrective surgery for, 265–266
    dissection and release of facial flap for, 267–271
    planning patterned skin excision for, 266–267
    surgical technique in, 266–277
    zygomaticus muscle plication and zygomatic ligament sutures in, 271–277

recurrent basal cell carcinoma of, 1, 3
rejuvenation of, anatomic considerations for, 295–298
evolution of composite rhytidectomy in, 317–321
extended SMAS dissection in, **295–311**
retaining of mandibular ligaments for, 298–299
skin of, 227
soft tissues of, severe collapse of, 320
subcutaneous soft tissue of, 227–228
surgery of, **203–356**
introduction to, **203–205**
tumors of, 80
extirpation of, 82–83
reconstruction in, techniques for, 83–88
staging of, 80–82
Type I defects of, reconstruction of, 83–84
Type II and III defects of, reconstruction of, 84–85
Type IV defects of, reconstruction of, 85–86, 87
Type V defects of, reconstruction of, 86–88
undermining of, for facelift, 283
upper, aging changes of, 265
Midthoracic defects, reconstruction of, 171–173, 174–175, 176
Mimetic muscles, of face, 237–239
Moh's therapy, in nonmelanotic skin cancer, 46
Mouth, floor of, carcinoma(s) of, 93
composite resection for, 1, 4
reconstruction of, 95–100
Mucoceles, 408
Muscle flaps, transposition, for reconstruction of chest wall, 195
Muscle(s), mimetic, of face, 237–239
of forehead and periorbital area, 667, 668–669

Nasal dorsum, surgery of, endoscopic instrument for, 783–784
Nasal surgery, endoscopic, development of instruments for, **781–784**
Nasolabial crease, definition of, 342
smiling and, 344, 346
solar radiation and, 346
Nasolabial fold(s), age of, 209–211
aging changes of, 265
composite rhytidectomy and, **313–324**
effect of technique on, 317
correction of, postoperative results of, 289, 290–292
deep, subperiosteal approach for correction of, **341–356**
clinical experience and results of, 350–355
evolution of, 346–347
perioperative management in, 355
special surgical considerations for, 349–355
surgical technique for, 347–349
defatting or fat repositioning of, fat graft and rhytidectomy, in recalcitrant folds, 257–263
definition of, 342
development of, mechanics of, 344–346
in youth, 215, 216
increased depth of, and obvious fold, 221
levitation of, strategies for, **265–278**
prominent, correction of, elevation of malar fat pad for, **279–293**
ptosis of, anterior myorrhaphy of platysma and plication of SMAS in, 277
closure of skin defect and correction of remaining ptotic areas in, 277
complications of surgery in, 277
corrective surgery for, 265–266
dissection and release of facial flap for, 267–271
planning patterned skin excision for, 266–267
surgical technique for, 266–267
zygomaticus muscle plication and zygomatic ligament sutures in, 271–277
recalcitrant, **253–264**
asymmetric, 255–256
deep, 254–255
definition of problem of, 253–264
dermis fat graft in, 257, 258
direct excision of, 255–257
fat injection in, 254–255
lateral defatting or fat repositioning of, fat graft and rhytidectomy, 257–263
soft tissues of face and, 223, 224
solutions to diminish, 209
surgery of, **203–356**
introduction to, **203–205**
with age, 215, 216
Nasolabial sulcus, definition of, 342
Nasopharynx, protection of meninges from, 551
Neck. See also *Head and neck.*
endoscopic plastic surgery of, 587
Nerve sheath tumors, 391
orbital, 473
Nerve(s), facial. See *Facial nerve(s).*
Neural crest cell, migration of, 361–362
Neuroblastoma, orbital, 474
Neurofibromatosis, of cranial base, classification of, 516, 517–518
clinical features of, 513–514
investigations in, 514, 515
treatment of, 514–525
Neurologic injury, in skull base surgery, 574–576
Neurotomies, in endoscopic forehead lift, 669
Nipple and areola, reconstruction of, following breast reconstruction, 164

Omental free flaps, endoscopic harvest of, **747–754**
Omentum, for dead space obliteration, 565
Omentum flap, in reconstruction of posterior trunk, 170
Operating room, setup of, for endoscopic plastic surgery, 600–602
Optic nerve glioma, 473
Optical cavity, creation of, 756, 757
definition of, 595
for endoscopic abdominoplasty, 727–729
instruments for developing and maintaining, 594–597
Optical dissector, 756–757, 758, 763–764, 765, 766–768
Oral cavity, anatomy of, 91–92
malignant tumors of, epidemiology of, 91
reconstruction of, principles of, 94–106
reconstructive techniques in, **91–108**
tumors of, classification of, 92
distribution of, 92, 93
histology of, 92–93
staging of, 10, 92
verrucous carcinomas of, 92
Orbital nerve sheath tumors, 473
Orbit(s), bony, anterior cranial base and, 365–367
lymphoma of, 474–475
malignant tumors of, 469–475
melanoma in, 474
meningiomas of, 473
metastatic tumors involving, 474–475
neuroblastoma of, 474
primary tumors of, 472–474
reconstruction of, 551
reconstructive considerations for, 476–479

Orbit(s) *(Continued)*
secondary tumors of, 474
squamous cell carcinoma of, 474
surgical approaches to, 475–479, 480
tumors of, evaluation and treatment of, 470–471
Osteoblastoma, 411
Osteocutaneous donor sites, for mandibular reconstruction, 64–67
Osteocutaneous flaps, vascularized, in mandibular reconstruction, 63–67, 103, 104
Osteogenic sarcoma, 415, 472–473
Osteoma(s), of cranial base, 394–398, 411
Osteomyelitis, chronic, squamous cell carcinoma and, 42–43
Osteoradionecrosis, of mandible, following radiotherapy of nasopharynx, 10, 11

Paget's disease, 402–403
Palate, dehiscence of, as complication of cranial base surgery, 488
development of, 364
Palpebral redundancy, 612, 614
Papilloma, inverted, 407
Paraganglioma(s), endovascular therapy of, 427–428
of cranial base, 399–400, 408
Paraspinous muscle flap, in reconstruction of posterior trunk, 170
Pectoralis major muscle flap, for reconstruction of chest wall, 192–193, 194–195
Pectoralis major musculocutaneous flap, for craniofacial reconstruction, 548
Pedicled flaps, for scalp and skull closure, 53
Pericranium, large defect of, reconstruction of, 52
Periorbital area, muscles of, 667, 668–669
Periosteal elevation, for forehead and facial subperiosteal dissection, 639–641
Petrosal sinus, inferior, arteriovenous fistulae of, 438–439
Pharyngeocutaneous fistula, postlaryngectomy, 1, 5
Pharynx, regional lymph nodes of, cancer staging for, 11
Pituitary adenoma(s), of cranial base, 391, 409
Plain film, of cranial base, 374
Plastic surgeon, in breast reconstruction, 141–144
Plastic surgery, endoscopic. See *Endoscopy, in plastic surgery.*
Plates, reconstruction, with or without soft-tissue flaps, in mandibular reconstruction, 63, 64
Platysma, anterior myorrhaphy of, and plication of SMAS, in ptosis of midface and nasolabial fold, 277
Postextirpative deformity, complex, analysis of, **1–8**
Ptosis, of breast, correction of, endoscopy in, 588
of eyebrow, analysis of, 612
of midface. See *Midface, ptosis of.*
of nasolabial folds. See *Nasolabial fold(s), ptosis of.*
Ptotic malar fat pads, solutions to diminish, 209

Radial forearm flap, for craniofacial reconstruction, 565
Radiation therapy, and chemotherapy, combined, in cancer of head and neck, 16
in soft-tissue sarcomas, 27
wound healing considerations in, **31–37**
as adjuvant to surgery, in cancer of head and neck, 12
as sole therapy, in cancer of head and neck, 9–12
effects of, on wound healing, 32–34
in soft-tissue sarcomas, 21–25
influence of, on breast reconstruction, 147, 149, 150
new techniques in, in cancer of head and neck, 12–13
postoperative, effects of, on wound healing, 33
in soft-tissue sarcomas, 22–24
preoperative, effects of, on wound healing, 33
in soft-tissue sarcomas, 21–22
Radiology, diagnostic, of cranial base, **373–405**
interventional, in vascular lesions of cranial base, 534–535
Radius, as donor site for mandibular reconstruction, 65, 66
Ramirez-Maillard flap, 345
definition of, 343–344
Reconstruction, decision-making for, 1–2
limb-sparing, in soft-tissue sarcomas of extremities, **123–128**
of breast, autogenous, TRAM flaps and latissimus dorsi flaps in, **153–166**
conceptual considerations in, **141–152**
endoscopic techniques in, 694
planning of, face grid for, 2, 5, 6
postoncologic, **1–198**
Reconstructive surgery, and aesthetic surgery, minimally invasive techniques in, **585–796**
Rectus abdominis muscle, endoscopic harvest of, 758–764, 768
Rectus abdominis muscle flap, for reconstruction of anterior chest wall defects, 189, 197
Rectus abdominis myocutaneous flap, for craniofacial reconstruction, 564
Renal transplantation, keratoacanthomas following, 40, 41
Retinoblastoma, 473–474
Retromolar trigone, squamous cell carcinoma of, 7
Rhabdomyosarcoma, 413
of cranial base, 390
of orbit, 472
Rhinoplasty, endoscopic instrument for, 783–784
Rhytidectomy, aesthetics of, progress in, 207, 208
anatomic considerations for, 295–298
composite, and nasolabial fold, **313–324**
effect of technique on, 317
complications of, 321–323
evolution of, 330–331
in midface rejuvenation, 317–321
long-term results of, 321
with repositioning of orbicularis oculi muscle, cheek fat, and platysma in, 316
deep plane, 319
evolution of, history of, **207–212**
fat repositioning, or defatting, and fat graft, in recalcitrant nasolabial folds, 257–263
nasolabial, 341
secondary, in tight facial appearance, 301, 302
Skoog, 317
ROOF pad, definition of, 343

Sacral defect, microvascular free flaps in, 176–177, 178–179
Salivary gland, carcinomas of, 389–390
tumors of, 408
Sarcoma(s), osteogenic, 415, 472–473
soft-tissue, adjuvant therapy of, **21–29**
chemotherapy in, 25–27
combined chemotherapy and radiation therapy in, 27
intraoperative brachytherapy in, 24

of extremities. See *Extremity(ies), soft-tissue sarcomas of.*
postoperative radiation therapy in, 22–24
preoperative radiation therapy in, 21–22
radiation therapy in, 21–25
Scalp, anatomic and fascial layers of, 543, 544
anatomy of, 51–52
and skull, wounds of, difficult, **51–59**
irradiated wounds of, reconstruction of, 54–59
soft tissue of, reconstruction of, 52–53
vascular anatomy of, for craniofacial reconstruction, 543, 544
Scalp flaps, expansion of, for reconstruction of scalp, 53
for craniofacial reconstruction, 550–553
in full-thickness scalp defects, 52–53
Scapula, as donor site for mandibular reconstruction, 65, 66–67
Scars, in surgical procedures on breast, 683, 793
Schwannoma(s), 409–411
acoustic, 391–393
endovascular therapy of, 431
malignant, 414
Sella turcica, 369
Septoplasty, endoscopic, instrument for, 783
Serratus anterior muscle flap, for craniofacial reconstruction, 565
for reconstruction of intrathoracic defects, 197
in subtotal resection of glioblastoma multiforme, 56–57
Sigmoid-transverse sinuses, arteriovenous fistulae of, 437
Sinuses, of cranial base, 383
Skin, of midface, 227
squamous cell carcinoma of, metastases from, 46–47
sun-damaged, following facelift, 302
undermining and repositioning of, for facelift, 282
Skin cancer, burn scar and, 40–42
nonmelanotic, margins and recurrence of, determinants of, 43–46
metastases from, 46, 47
oncologic considerations in, **39–50**
selection of treatment in, 46
Skin flap, differential vectors of redraping of, 301–303
elevated composite, with orbicularis oculi muscle, cheek fat, and platysma in, 315
Skin grafts, for vaginal reconstruction, 130, 131
for vulvar reconstruction, 137
Skull, and scalp, wounds of, difficult, **51–59**
base of. See *Cranial base.*
SMAS, age of, 208–209
anatomy of, 279
and overlying soft tissues, 328
anterior extent of, 231–232
attachments of, to facial skeleton, 234
complications of, 335–338
conclusion of, 234
deep attachments of, to bone, 235, 263
definition of, 228–231
dissection, and facial nerve, 331–332
differential vectors of redraping of, 301
extended, in midface rejuvenation, **295–311**
incisions for, 303, 304
preoperative and postoperative appearance in, 305, 308, 309
recovery following, 308, 310
surgical technique for, 303
postoperative morbidity and complications of, 307
elevation, 303–305, 306–307
excess, rolled on itself and fixed, 308
extended, evolution of, 330
lasting results of, 335, 336, 337, 338
technique of, 332–335
fixation, 305
of face, 228
of mid cheek, importance of, 328
perspective on, 328–330
plication of, and anterior myorrhaphy of platysma, in ptosis of midface and nasolabial fold, 277
retaining ligaments of, 234–237
safe approach to, 332
superior extension of, 232–234
surgery, original or traditional, evolution of, 330
techniques, evolution of, for mid cheek correction, 330–331
undermining of, restricting of, 331
SMAS-platysma face lift, 280–281
SMAS plication technique, 346, 347
Smiling, nasolabial crease and, 344, 346
Soft tissue reconstruction, choices of, for craniofacial reconstruction, **543–554**
Soft tissue(s), displacement of, with aging, 214, 219
facial, descent of jowls and, 223, 224
fascial fatty layer of, 228
instrument to measure, 218
ligaments supporting, 298, 299
nasolabial folds and, 223, 224
irradiated, surgery in, 33–34
local, for vaginal reconstruction, 130–132, 133
for vulvar reconstruction, 137, 138
mandibular, restoration of, 62
mid cheek, fibrous support system of, 326
schema of, 329
midface, severe collapse of, 320
of scalp, irradiated, reconstruction of, 54–59
reconstruction of, 52–53
overlying, SMAS and, 328
subcutaneous, of midface, 227–228
Solar radiation, nasolabial crease and, 346
SOOF pad, 345
definition of, 342–343
Splenius capitis muscle, for craniofacial reconstruction, 548–550
Squamous cell carcinoma(s), chronic osteomyelitis and, 42–43
of cranial base, 388–389, 412, 413
of orbit, 474
of skin, metastases from, 46–47
of tongue, 93
Stapling technique, for endoscopic abdominoplasty, 707, 708
Sternocleidomastoid flap, for craniofacial reconstruction, 548
Sternum, defects in area of reconstruction of, 191, 192–193, 194–195
Sub-SMAS, dissection, anatomic considerations for, 295–298
extended, and cheek elevation, patient selection for, 325–326, **325–339**
Subgalea, for craniofacial reconstruction, 546
Subperiosteal plane of dissection, 641
Sun-damaged skin, following facelift, 302
Superficial musculoaponeurotic system. See *SMAS.*
Supraorbital rim approach, to tumors and aneurysms of cranial base, 454–459
Surgery, endoscopic plastic. See *Endoscopy, in plastic surgery.*

Temporal bone, 368–369

Temporalis fascia, for craniofacial reconstruction, 546
Temporalis muscle, for craniofacial reconstruction, 546, 547
Temporoparietal fascia, for craniofacial reconstruction, 545–546
Thigh flaps, for vaginal reconstruction, 132–134, 135
  for vulvar reconstruction, 137
Thoracolumbar defects, reconstruction of, 173
Thrombosis, in microvascular surgery, prevention and treatment of, 570
Tissue expander(s), endoscopic placement of, complications of, 795
  in craniofacial reconstruction, 550
Tissue expansion, for chest wall reconstruction, 197
Tissue harvest, laparoscopic, instruments for, 599–600
Tissue planes, SMAS dissection and, 331
Tissue transplantation, microsurgical composite, for chest wall reconstruction, 197–198
Tongue, carcinoma of, composite resection for, 1, 4
  reconstruction of, 94–95, 96–97
  squamous cell carcinoma of, 93
Tooth(Teeth), rehabilitation of, in mandibular reconstruction, 67–69
TRAM flap(s), and latissimus dorsi flaps, in autogenous breast reconstruction, **153–166**
  for reconstruction of breast, 142, 143, 145, 148
  free, for breast reconstruction, 162–164
  pedicled, for breast reconstruction, 158–162
Transorbital approaches, to cranial base, **461–481**
Transposition flaps, for reconstruction of chest wall, 195
Trapezius muscle flap, for craniofacial reconstruction, 547–548, 549
  for reconstruction of midline chest wall defects, 190–191
  in reconstruction of posterior trunk, 169
Trunk, defects of, microvascular free flaps for, 176–180
    regional approach to, 168, 171–181, 182–183
  endoplastic plastic surgery of, instruments for, 599–600
  posterior, defects of, causes of, 167
    reconstruction of, **167–185**
    reconstruction of, flaps for, 168–170
      principles of, 168
Tumors, of breast, removal of, endoscopy in, 588

Ultrasonography, of cranial base, 374

Vagina, reconstruction of, 129–135, 136
    abdominal flaps for, 134, 136
    following surgery for gynecologic cancer, **129–140**
    local tissue for, 130–132, 133
    skin grafts for, 130, 131
    thigh flaps for, 132–134, 135
Vascular injury, in skull base surgery, 577
Vascular lesions, classification of, 531
  of cranial base, **531–542**
  pediatric, cellular and clinical features of, 531, 532
Vascular spasm, in microvascular surgery, treatment of, 569–570
Video imaging systems, 592–594, 595
Vulva, reconstruction of, 136–138
    following surgery for gynecologic cancer, **129–140**

Wound healing, chemotherapy considerations in, 34–36
  in brachytherapy, 34
  in chemotherapy and radiation therapy, **31–37**
  mechanisms and events in, 31–32, 33
  postoperative radiation therapy and, 33
  preoperative radiation therapy and, 33
  radiation effects in, 32–34
Wound(s), of scalp, irradiated, reconstruction of, 54–59

Xeroderma pigmentosa, 40
  treatment of, factors influencing, 40